





Led power supplies



MEAN-60-20-24-DIN

MeanWell 24VDC power supply for industrial use. Insulated plastic housing with high reliability. Works on the principle of constant voltage. Input voltage : 100-240VAC, 50 ~ 60Hz. With short-circuit protection/over-voltage protection/over-load protection. Choose the power of the power supply by adding 15 to 20 percent to the connected power. TYPE MDR-60-24 : 60W - 24V until 30V adjustable - 24V/2.5A - Class 1 - DIN-RAIL - 100x40x90mm - not dimmable. Suitable for VOLTRON® strips, panels and downlighters. Always 3 years warranty



Technical data

Productnumber	Barcode	IP value	Voltage	Wattage
MEAN-60-20-24-DIN	LH-1173	20	24V	60W
Length	Width	Height	Constant voltage	Constant current
10CM	4CM	9CM	V	-
Packed per	Full package			
1	42			

Specification text*

LED power supply - Power: 60 Watt - Input range: Universal AC input / Full range 90 ~ 264 Vac - Output range: 5, 12, 24, 48 Vdc - Enclosure: AC / DC Din Rail - Enclosure size: 127x76.2x28 mm / 1.35 m3 - Warranty: 3 Years - Certification: CE - Cooling: Free Air Circulation - Protection: Short circuit

Inrush current = COLD START 30A/115VAC 60A/230VAC - SAFETY STANDARDS: UL508, UL62368-1, TUV EN62368-1, , Class I, Div. 2 Group A, B, C, D Hazardous Locations T4, EAC TP TC 004 , BSMI CNS14336-1 approved - Compliance to EN55032 (CISPR32), EN61204-3 Class B, EN61000-3-2,-3, Class B - Compliance to EN61000-4-2, 3, 4, 5, 6, 8, 11, EN55024, EN61000-6-2, EN61204-3, heavy industry level, criteria A, EAC TP TC 020

* Available on the website

Areas of application

For LED strips / LED panels (The Flat Hanger, The Flat round, The Flat square) / IP65 power supplies for inside and outside / Din rail power supplies for industrial installations or for mounting in special cabinets / Recommended for all LED installations in professional environments.

Extra information

All information, specification texts, photos, technical drawings, connection diagrams, photometric .LDT files can be found via this clickable direct link: https://www.voltron-lighting.com/product/EN/43/1173/Led_power_supplies--MEAN-60-20-24-DIN or can be requested through your contact person.

Direct link website



Product barcode



The Voltron® name and logo as well as product names are part of the Voltron® Lighting Group and are protected by national and international laws. The usage rights, reproduction rights as well as the intellectual rights are the exclusive property of the Voltron® Lighting Group. Voltron® pays a lot of attention to the correctness and completeness of the information. However, it cannot be held responsible for any inaccuracy and / or omission. All images and texts are protected under copywrite law and may not be used or multiplied without express permission.